AVAILABLE COLOURS







Dealer Stamp

Khandelwal Honda Opp. Income Tax Office Akola Tel: 0724-2403592/2403358 Mob: 7798511223

TECHNICAL SPECIFICATIONS

PORV PIMENCIONS	
BODY DIMENSIONS	
Length	2020 mm
Width	Drum - 742 mm, Disc - 751 mm
Height	1116 mm
Wheel Base	1278 mm
Ground Clearance	163 mm
Kerb Weight	Disc/Drum - 113 kg
Seat Height	790 mm
Fuel Tank Capacity	9 L
ENGINE	
Туре	Air Cooled, 4 Stroke, SI, BS-VI Engine
Displacement	109.51 cc
Max Engine Output	6.47 KW @ 7500 rpm
Max Torque	9.30 N-m ര 5500 rpm
Fuel System	PGM-FI
Bore x Stroke (mm)	47 x 63.121
Compression Ratio	10.1:1
Starting Method	Self/Kick
TRANSMISSION	
Clutch Type	Multiplate Wet Clutch
No. of Gears	4 Gear
TYRES & BRAKES	
Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless
Brake Type & Size (Front)	Disc - 240 mm, Drum - 130 mm
Brake Type & Size (Rear)	Drum - 130 mm
FRAME & SUSPENSION	
Frame Type	Diamond Type
Front Suspension	Telescopic
Rear Suspension	Hydraulic Type
ELECTRICALS	
Battery	12V, 4Ah
Headlamp	Halogen Bulb, DC
-	-

• *The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Livo meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants.

Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050 (Haryana), India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com







URBAN STYLE







COMFORT AND CONVENIENCE



DC HEADLAMP

The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.



INTEGRATED ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.



5-STEP ADJUSTABLE REAR SUSPENSION

Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road




SERVICE DUE INDICATOR

Want to keep your Livo in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.



CBS WITH EQUALIZER
The Equalizer Technology in Combi Brake System distributes optimal braking force between front and rear wheels ensuring shorter braking distance with rock-solid balance.



Makes every ride comfortable for the rider and pillion, despite the conditions of



3 + 7 YEARS WARRANTY PACKAGE

Complete peace of mind with 10 years warranty package, Comprising 3 years standard and 7 years optional service warranty.